

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Trade name : Synfluid® PAO 4 cSt

Material : 1111739, 1111738, 1111733, 1079673, 1079928, 1079872,

1079835, 1079712, 1079702

Use : Synthetic Lubricants

Company : Chevron Phillips Chemical Company LP

10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

North America: CHEMTREC 800.424.9300 or 703.527.3887

Asia: +800 CHEMCALL (+800 2436 2255)

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : MSDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Emergency Overview

Danger

Form: Liquid Physical state: Liquid Color: Clear, Colorless Odor: Odorless

OSHA Hazards : Aspiration hazard

Classification

: Aspiration hazard, Category 1

Labeling

MSDS Number:100000010950 1/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

Symbol(s)

Signal Word : Danger

Hazard Statements : H304: May be fatal if swallowed and enters airways.

Precautionary Statements : Response:

P301 + P310: IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician. P331: Do NOT induce vomiting.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

SECTION 3: Composition/information on ingredients

Synonyms : Polyalphaolefin

PAO

Molecular formula : UVCB

Component	CAS-No.	Weight %
1-Decene, homopolymer, hydrogenated	68037-01-4	100

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Do not leave the victim unattended. Material may produce a serious, potentially fatal

pneumonia if swallowed or vomited.

If inhaled : Move to fresh air. If unconscious place in recovery position

and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

MSDS Number:100000010950 2/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. If

symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : 219 °C (426 °F)

Method: Cleveland Open Cup

Autoignition temperature : 343 °C (649 °F)

Unsuitable extinguishing

media

: High volume water jet.

Special protective

equipment for fire-fighters

: Wear self contained breathing apparatus for fire fighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

: Normal measures for preventive fire protection.

Hazardous decomposition

products

: Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : Do not breathe vapors/dust. For personal protection see

section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance

with local and national regulations.

MSDS Number:100000010950 3/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

Advice on protection against fire and explosion Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

: Wear a supplied-air NIOSH approved respirator unless Respiratory protection

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:, Full-Face Supplied-Air Respirator, Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not

provide adequate protection.

Hand protection The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there

is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

> concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit.

Safety shoes.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

MSDS Number: 100000010950 4/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

Appearance

Form : Liquid Physical state : Liquid

Color : Clear, Colorless

Odor : Odorless

Safety data

Flash point : 219 °C (426 °F)

Method: Cleveland Open Cup

Autoignition temperature : 343 °C (649 °F)

Molecular formula : UVCB

Boiling point/boiling range : 414 °C (777 °F)

Vapor pressure : 1.70 MMHG

at 177 °C (351 °F)

Relative density : 0.82, 15.6 °C(60.1 °F)

Viscosity, kinematic : 16 cSt

at 37.8 °C (100.0 °F)

Evaporation rate : No data available

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Synfluid® PAO 4 cSt

Acute oral toxicity : LD50: > 5,000 mg/kg

Species: rat

Synfluid® PAO 4 cSt

Acute inhalation toxicity : LC50: > 5.2 mg/l

Exposure time: 4 h Species: rat

Sex: male and female Test atmosphere: dust/mist

MSDS Number:100000010950 5/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

Synfluid® PAO 4 cSt

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: rat

Synfluid® PAO 4 cSt

Skin irritation : No skin irritation

Synfluid® PAO 4 cSt

Eye irritation : No eye irritation

Sensitization

1-Decene, homopolymer,

hydrogenated

: Classification: Did not cause sensitization on laboratory

animals.

Synfluid® PAO 4 cSt

Aspiration toxicity May be fatal if swallowed and enters airways.

> Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity

hazard.

CMR effects

1-Decene, homopolymer,

hydrogenated

: Carcinogenicity: Not classifiable as a human carcinogen.

Mutagenicity: Animal testing did not show any mutagenic

effects.

Teratogenicity: Did not show teratogenic effects in animal

experiments.

Reproductive toxicity: No toxicity to reproduction

Synfluid® PAO 4 cSt

Further information : Solvents may degrease the skin.

SECTION 12: Ecological information

Ecotoxicity effects

Toxicity to fish : LC50: > 1,000 mg/l

Exposure time: 96 h

Species: Salmo gairdneri (Rainbow trout)

LC50: > 750 mg/l Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates : EC50: 190 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

Toxicity to algae

1-Decene, homopolymer, NOELR: 1,000 mg/l

MSDS Number:100000010950 6/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

hydrogenated Exposure time: 72 h

Species: Scenedesmus capricornutum (fresh water algae)

static test Method: OECD Test Guideline 201

Bioaccumulation

1-Decene, homopolymer,

hydrogenated

: This material is not expected to bioaccumulate.

Biodegradability

1-Decene, homopolymer,

hydrogenated

: Expected to be inherently biodegradable.

Ecotoxicology Assessment

Results of PBT assessment

1-Decene, homopolymer,

hydrogenated

Additional ecological

information

: Non-classified PBT substance, Non-classified vPvB substance

: No data available

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the MSDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

MSDS Number:100000010950 7/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF **DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : No SARA Hazards

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

MSDS Number: 100000010950

8/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

SARA 313 Ingredients : SARA 313: This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA

Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

: No components are subject to the Pennsylvania Right to Know

Act.

New Jersey Right To Know

: No components are subject to the New Jersey Right to Know

Act.

California Prop. 65

Ingredients

: This product does not contain any chemicals known to the State

of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : On the inventory, or in compliance with the inventory United States of America TSCA : On the inventory, or in compliance with the inventory

Canada DSL

Canada DSL

Con the inventory, or in compliance with the inventory

Canada DSL

Con the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

New Zealand NZIoC

Con the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

Notification number: HSR002606

Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : On the inventory, or in compliance with the inventory Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory

MSDS Number:100000010950 9/11


Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

SECTION 16: Other information

NFPA Classification : Health Hazard: 0

Fire Hazard: 1 Reactivity Hazard: 0



Further information

Legacy SDS Number : 3332

NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect	
	Substances		Level	
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency	
115.01	List	1110011		
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational	
0110	Substances List	NITO	Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of	
	5, , ,	110.151	Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect	
5050	F(() () () () () () () () () (NOTO	Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health	
	Scenario Tool	5=:	Administration	
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit	
=:::===	Chemicals Association	Diago		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of	
	Chemical Substances		Commercial Chemical Substances	
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic	
0110	Values	D0D4		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery	
		0.75	Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and	
			Reauthorization Act.	
IARC	International Agency for Research	TLV	Threshold Limit Value	
	on Cancer			

MSDS Number:100000010950 10/11

Synfluid® PAO 4 cSt

Version 1.11 Revision Date 2014-06-03

IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

MSDS Number:100000010950 11/11