# TSI Link<sup>™</sup> Report Creator – Basic Analytics Data Table



Worksheet Guide (US)

## Contents

Contents	1
Overview	1
Workbook Templates	2
Worksheet Operation	3
Step 1 Select the Basic Analytics Workbook then Data Table Worksheet	3
Step 2 Cover Sheet	3
Step 3 Select the Device	3
Step 4 Import Study Data	3
Step 5 Analyze the Data	3
Step 6 Complete the Assessment	4

## **Overview**

The Data Table Report is part of the Basic Analytics workbook for TSI Link<sup>™</sup> Report Creator. It provides a quick and **easy way to summarize a single study.** The standard printed report includes the summary statistics – average, maximum and minimum – as well as the raw data as acquired by instruments

Check out the <u>Report Creator Product Page</u> for the full list of guides and videos including: setting up an account, installing the application, using the study manager, using the layout view, customizing report creator templates, etc. This guide builds upon those guides, it not duplicate all of the content.



# Workbook Templates

The Data Table works with a ~13 types of devices, providing a quick and simple table-based data reports. The associated measurements are shown below. Note that devices that produce both particulate mass and number concentration have two different device selections. For example OmniTrak<sup>™</sup> PM – PMx Module and OmniTrak<sup>™</sup> PM – PN Module

Worksheet Template	Selected Device	Displayed Data	Examples of Needs/Applications
Data Table	DustTrak™ II Monitors: 8530 and 8532	PM 1.0 (ug/m <sup>3</sup> ) PM 2.5 (ug/m <sup>3</sup> ) PM RESP (ug/m <sup>3</sup> ) PM 10 (ug/m <sup>3</sup> )	<ul> <li>Point source location monitoring</li> <li>Baseline trending and screening</li> <li>Engineering control evaluations</li> </ul>
	DustTrak™ DRX Monitor: 8533 and 8534	PM 1.0 (ug/m <sup>3</sup> ) PM 2.5 (ug/m <sup>3</sup> ) PM RESP (ug/m <sup>3</sup> ) PM 10 (ug/m <sup>3</sup> )	<ul> <li>✓ Occupational hygiene surveys</li> <li>✓ Indoor air quality investigations</li> <li>✓ Outdoor environmental monitoring</li> <li>✓ Baseline trending and screening</li> </ul>
	OmniTrak™ Formaldehyde Module	CH <sub>2</sub> O (ppb)	✓ Laboratory or manufacturing safety
	OmniTrak™ Carbon Monoxide Module	CO (ppm)	✓ Home safety analysis
	OmniTrak™ Ozone Module	Ozone (ppb)	✓ Home or work IAQ study
	OmniTrak Chlorine Module	CL (ppm)	✓ Chemical storage or cleaning analysis
	OmniTrak Ammonia Module	NH₃ (ppm)	✓ Chemical storage or cleaning analysis
	OmniTrak VOC (ppb) Module	VOC (ppb)	✓ Home or manufacturing analysis
	OmniTrak VOC (ppm) Module	VOC (ppm)	✓ Gas station or road study
	OmniTrak PM - PMx Module	PM 1.0 (ug/m <sup>3</sup> ) PM 2.5 (ug/m <sup>3</sup> ) PM RESP (ug/m <sup>3</sup> ) PM 10 (ug/m <sup>3</sup> )	✓ Health and Safety Analysis
	OmniTrak PM + VOC (ppm) - PMx Module	VOC (ppm) PM 1.0 (ug/m <sup>3</sup> ) PM 2.5 (ug/m <sup>3</sup> ) PM RESP (ug/m <sup>3</sup> ) PM 10 (ug/m <sup>3</sup> )	<ul> <li>✓ Agricultural or work place analyses</li> <li>✓ Troubleshooting smells or pollutants</li> <li>✓ Study during painting or a leak or accident</li> </ul>
	OmniTrak PM - PN Module	NC 0.3 - 0.5 (#/m <sup>3</sup> ) NC 0.5 - 1.0 (#/m <sup>3</sup> ) NC 1.0 - 2.5 (#/m <sup>3</sup> ) NC 2.5 - 4.0 (#/m <sup>3</sup> ) NC 4.0 - 10 (#/m <sup>3</sup> )	<ul> <li>✓ HVAC analysis</li> <li>✓ Baseline Trending</li> <li>✓ Engineering Control Evaluation</li> </ul>
	OmniTrak PM + VOC (ppm) - PN Module	VOC (ppm) NC 0.3 - 0.5 (#/m <sup>3</sup> ) NC 0.5 - 1.0 (#/m <sup>3</sup> ) NC 1.0 - 2.5 (#/m <sup>3</sup> ) NC 2.5 - 4.0 (#/m <sup>3</sup> ) NC 4.0 - 10 (#/m <sup>3</sup> )	<ul> <li>✓ Ventilation Study of a Kitchen or Laboratory</li> <li>✓ Engineering Control Evaluation</li> </ul>

# **Worksheet Operation**

The worksheet templates in this workbook have a similar structure. This section outlines the basic operating steps for all of them.

#### Step 1 Select the Basic Analytics Workbook then Data Table Worksheet

Select -> Model OmniTrak PM - PMx

Model Number

Serial Number

Start Time

Duration (hr) 0.12

7591-01

Stop Time 07/08/2024 17:56:45

7591012324102

07/08/2024 17:49:36

This worksheet is one of the multiple worksheets available via the **Basic Analytics Workbook**.

A general overview of available workbooks is on the Report Creator product page. This page also contains many other workbook Guides in the RESOURCE section.

#### Step 2 Cover Sheet


This workbook contains a very simple Cover sheet that can be customized to suit your needs. See the Customizing Report Creator Templates to learn how. Other sheets can be added to your workbook, if desired.

#### Step 3 Select the Device

After creating either a Data Table worksheet, select the type of device that you wish to report on.

#### Step 4 Import Study Data

Import the environmental data using Study Manager or File Import. With this worksheet the meta / demographic information associated with the file is loaded into the workbook.



		А	В	С	
	21				
	22	Model	OmniTrak PM - PMx		-
1	23	Model Number	OmniTrak Chlorine		~
	24	Serial Number	OmniTrak Ammonia OmniTrak VOC (ppb)		
	25	Start Time	OmniTrak VOC (ppm)		
	26	Stop Time	OmniTrak PM - PMx	DM	
	27	Duration (hr)	OmniTrak PM + VOC (ppm) OmniTrak PM - PN		
	28	Logging Interval (sec)	OmniTrak PM + VOC (ppm)	- PN	$\mathbf{\mathbf{\vee}}$

Device Name PM MS

Study Name

Study Type

Location Northfield MN

Notes Busy street

quick\_start

Route 3 Northfield 6pm

#### Step 5 Analyze the Data

Demographic information about the study is shown at the top of the report. Below that a statistical summary is shown that includes a simple sparkline chart of the measurement, the mir and maximum value.

measurement, the minimum, and maximum value.		1.0   Demographic and meta data loaded from study manager     430			
The time-stamped data table is also constructed. Unlike	Spark Line Charts→	PM 1.0 (ug/m3)	PM 2.5 (ug/m3)	PM RESP (ug/m3)	PM 10 (ug/m3)
other worksheet templates in	Average Summary → Minimum Statistics Maximum	9.98	11.27	11.74	11.96
this workbook, the raw data			3	3	3
table is printed and exported		53	59	61	63
to PDF. Be aware that this	Time Stamped				
can generate a very long	Data Table	PM 1.0 (ug/m3)	PM 2.5 (ug/m3)	PM RESP (ug/m3)	PM 10 (ug/m3)
report for large datasets.	stamp 💌	Param 1 🛛 💌	Param 2 💌	Param 3 🛛 💌	Param 4 🛛 💌
report for large datasets.	07-08-2024 17:49:36	4	4	4	4
	07-08-2024 17:49:37	4	4	4	4
NOTICE	07-08-2024 17:49:38	4	4	4	4
The Layout View is not	07-08-2024 17:49:39	4	4	4	4
	07-08-2024 17:49:40	3	4	4	4
available with this worksheet.	07-08-2024 17:49:41	3	4	4	4

#### Step 6 Complete the Assessment

To complete the report, you can add recommendations as part of or under the Notes.

The print layout for this sheet does includes the measurement data.



TSI Incorporated – Visit our website <u>www.tsi.com</u> for more information.

 USA
 Tel: +1 800 680 1220

 UK
 Tel: +44 149 4 459200

 France
 Tel: +33 1 41 19 21 99

 Germany
 Tel: +49 241 523030

 India
 Tel: +91 80 67877200

 China
 Tel: +86 10 8219 7688

 Singapore
 Tel: +65 6595 6388

TSI and the TSI logo are registered trademarks of TSI Incorporated in the United States and may be protected under other country's trademark registrations.

P/N 6018087 Rev. A (US)

©2024 TSI Incorporated

Printed in U.S.A.