

SAMPLING SYSTEM FOR ATMOSPHERIC PARTICLES MODEL 3750200

SYSTEM FOR REPRESENTATIVE AND ACCURATE SAMPLING
AND CONDITIONING OF ATMOSPHERIC AEROSOL.
COMPLIANT TO CEN/TS 16976 AND CEN/TS 17434.



Sampling particles from ambient air is not trivial. Varying wind conditions, humidity, and diffusion losses are all barriers to obtaining representative data. The Model 3750200 sampling system for atmospheric aerosol is designed to match the requirements of two CEN/TS standards, thus permitting a standardized measurement of sub-micrometer airborne particles. Proven components - such as the PM inlet and the effective and low-maintenance membrane (Nafion™) dryer - enable the harmonized measurement of ultrafine and fine particles in the atmosphere.

Features and Benefits

- + CEN/TS 16976 and CEN/TS 17434 compliant
- + Less than 30% diffusion losses for 7 nm particles
- + Efficient & low maintenance aerosol drying: relative humidity (RH) reduced to < 40%
- + Supports operation with up to 4 particle counters/sizers


Application

- + Air quality monitoring for ultrafine and fine particle number concentrations and size distributions

CEN stands for European Committee for Standardization. CEN is an association - officially recognized by the European Union and by the European Free Trade Association - that brings together the National Standardization Bodies of 33 European countries. CEN is committed to develop European Standards for various kinds of products, materials, services and processes.



UNDERSTANDING, ACCELERATED



SPECIFICATIONS

SAMPLING SYSTEM FOR ATMOSPHERIC PARTICLES MODEL 3750200

Particle Size Range

7 nm to 10 µm (up to 2.5 µm when using cyclone)*

* Particles smaller than 7 nm can be measured using an ultrafine CPC; increased diffusion losses may require system modification.

Flow Rate

16.7 L/min at inlet

Up to 4.0 L/min adjustable at sampling port

Humidity Reduction

Aerosol humidity reduced to < 40% RH using Nafion™ dryer for outdoor dewpoints < 25° C, a vacuum of 225 mbar, and indoor temperature of > 20° C.

For more humid conditions (dewpoint > 25° C), a stronger vacuum pump may be necessary.

Particle Transmission Efficiency*

>75% for 7 nm particles

>80% for 10 nm particles

>90% for 15 nm particles

* without additional transport tubing

Description	Quantity needed	Included with 3750200	Accessory available from TSI separately	User supplied
US-EPA approved PM10 inlet	1	+		
Nation® dryer	1	+		
Dryer to inlet fitting	1	+		
PM2.5 cyclone	1	+		
Conductive tubing	10 inch	+		
Four-way flow splitte	1	+		
Temperature & RH sensor	1		+	
Vacuum pump	1		+	
Flowmeter	optional		+	
Roof port	optional			+
Tripod or guy-wires	optional			+
Stainless steel sampling tube 1.25" OD x 0.062"	as needed	(1.5 m)		+



The Sampling System for Atmospheric Particles 3750200 is designed to sample and condition aerosol in preparation for measurement by the Condensation Particle Counter (CPC) 3750-CEN and by the Scanning Mobility Particle Sizer (SMPS) 3938W50-CEN. The humidity and temperature sensor RHT3000 is installed at the inlet of the CPC 3750-CEN (or SMPS); this sensor provides relative humidity and temperature data for the sample, as required by CEN/TS 16976:2016 and CEN/TS 17434.

TO ORDER

Sampling System for Atmospheric Aerosol

Specify	Description
3750200	CEN/TS 16976 compliant sampling system for atmospheric aerosol

Optional Accessories

Specify	Description
3032-EC	Vacuum Pump (230 VAC; EU Configuration)
3333-10	Aerosol Diluter for CPC (dilution ratio 10:1)
RHT3000	Relative Humidity and Temperature sensor
4048	Flow Calibrator, up to 200 L/min
4148	Flow Calibrator, up to 20 L/min

Accessories must be ordered separately



UNDERSTANDING, ACCELERATED

TSI Incorporated - Visit our website www.tsi.com for more information.

USA Tel: +1 800 874 2811
UK Tel: +44 149 4 459200
France Tel: +33 1 41 19 21 99
Germany Tel: +49 241 523030

India Tel: +91 80 67877200
China Tel: +86 10 8219 7688
Singapore Tel: +65 6595 6388

Specifications reflect typical performance and are subject to change without notice.

TSI and the TSI logo are registered trademarks of TSI Incorporated in the United States and may be protected under other country's trademark registrations.

Nafion and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.